L Number	Hits	Search Text	DB	Time stamp
1	1881	tristate adj buffer	USPAT;	2004/03/07 22:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
		/	IBM_TDB	1 ( (
2	0	(tristate adj buffer) and dummy adj ((gate	USPAT;	2004/03/07 22:18
		or scan\$4) adj2 (line or electrode))	US-PGPUB;	1
	į		EPO; JPO; DERWENT;	
			IBM TDB	
4	0	(tristate adj buffer) and dummy adj gate	USPAT;	2004/03/07 22:18
		,	US-PGPUB;	2001, 03, 07 22.20
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
5	0	(tristate adj buffer) and dummy adj line	USPAT;	2004/03/07 22:18
			US-PGPUB;	
			EPO; JPO;	
	•		DERWENT;	
3	98	   (tristate adj buffer) and dummy	IBM_TDB USPAT;	2004/03/07 22:18
		(criscaee aaj sarrer, and adminy	US-PGPUB;	2004/03/07 22:18
			EPO; JPO;	
1			DERWENT;	
1			IBM TDB	7
6	42	((tristate adj buffer) and dummy ) and	USPAT;	2004/03/07 22:20
		display	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
7	,	///trigtoto odi buffon) and dumma ) and	IBM_TDB	
'	1	(((tristate adj buffer) and dummy) and display) and tristate SAME dummy	USPAT;	2004/03/07 22:20
		display/ and cristate SAME dummy	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1091	345/7,32.ccls.	USPAT;	2003/06/25 15:17
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
	2026	250/460 455	IBM_TDB	
-	2036	359/462-477.ccls.	USPAT;	2003/06/25 15:17
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	687	348/51-60.ccls.	USPAT;	2003/06/25 15:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	58589	345/\$.ccls.	IBM_TDB	2002/05/25 55 55
	50509	3±3/ψ.CC18.	USPAT; US-PGPUB;	2003/06/25 15:17
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	134	349/15.ccls.	USPAT;	2003/06/25 15:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	298	252/7.0.0010	IBM_TDB	0000 (05 (05 = 5
_	298	353/7-8.ccls.	USPAT;	2003/06/25 15:18
			US-PGPUB; EPO; JPO;	
1			DERWENT;	
			IBM TDB	
-	61103	345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 15:18
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	, == == ==
		349/15.ccls. or 353/7-8.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	1828	(345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 15:19
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic	DERWENT;	
		//2/5/5	IBM_TDB	
-	1484	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/06/25 15:20
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO; DERWENT;	
		stereoscopic) and display	IBM TDB	
_	511	(((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 15:20
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	2003/00/23 13:20
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax	DERWENT;	
			IBM_TDB	
-	79	((((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 17:56
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM_TDB	
<u> </u>	· .	eye\$5)	HCDAG	2002/06/25 25 25
-	64	(((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or	USPAT; US-PGPUB;	2003/06/25 15:26
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM TDB	
		eye\$5)) and project\$4		
-	36	((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 15:33
		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	1
		stereoscopic) and display) and parallax) and	DERWENT;	]
1		(position with (detect\$4 or sens\$3) with	IBM_TDB	
		eye\$5)) and project\$4) and (image\$separat\$4		
1_	20	or image near separat\$4) (((((((345/7,32.ccls. or 359/462-477.ccls.	HCDATT.	2002/06/25 15 24
	20	or 348/51-60.ccls. or 345/\$.ccls. or	USPAT; US-PGPUB;	2003/06/25 15:34
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	•
		(position with (detect\$4 or sens\$3) with	IBM TDB	1
		eye\$5)) and project\$4) and (image\$separat\$4	_	1
		or image near separat\$4)) and (image\$form\$5		
		or image near form\$3)		
-	36	((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 16:17
		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	}
1		stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with	IBM TDB	
1		eye\$5)) and project\$4) and (image\$separat\$4	15155	
		or (image near separat\$4))		
-	28	(((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 16:16
		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	1
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
1		(position with (detect\$4 or sens\$3) with	IBM_TDB	
		eye\$5)) and project\$4) and (image\$separat\$4		
1	1	or image near separat\$4)) and (image\$form\$5		
_	_	or (image near form\$3)) ((((((((345/7,32.ccls. or 359/462-477.ccls.	HCDAT.	2003/06/25 16:19
1	,	or 348/51-60.ccls. or 345/\$.ccls. or	USPAT; US-PGPUB;	2003/00/25 16:19
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM_TDB	
		eye\$5)) and project\$4) and (image\$separat\$4	_	
1		or image near separat\$4)) and (image\$form\$5		
1		or (image near form\$3))) and (two adj		,
L	l	projectors or first adj projector)	İ	

	0	((((((((((((((((((((((((((((((((((((((	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:40
-	0	near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light) and (vertical\$3 or clockwise) adj polarized adj light ((((((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/25 15:40
		display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4) and (vertical\$3 or clockwise) adj polarized adj light	IBM_TDB	
	1	((((((((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:40
	5	light ((((((((((((((((((((((((((((((((((((	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 15:41
	. 29	first adj projector)) and polariz\$4 ((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3) or dispers\$4 or condens\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:17
_		((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:18
	36	((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 16:18

		·		
<u>-</u>	29	(((((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 16:19
		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	2003/06/23 16:19
		349/15.ccls. or 353/7-8.ccls.) and	1	
			EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM_TDB	
1		eye\$5)) and project\$4) and (image\$separat\$4	-	
	1	or (image near separat\$4) or polirizing adj		
	•	plate or polirizer)) and (image\$separat\$4 or	1	
		(image near separat\$4) or polirizing adj		
	-	plate or polirizer)) and		
	ļ	(((((((((345/7,32.ccls. or 359/462-477.ccls.		
	1	or 348/51-60.ccls. or 345/\$.ccls. or		
	İ	349/15.ccls. or 353/7-8.ccls.) and		
		stereoscopic) and display) and parallax) and		
		(position with (detect\$4 or sens\$3) with		
		eye\$5)) and project\$4) and (image\$separat\$4		
		or image near separat\$4)) and (image\$form\$5		
1		or (image near form\$3) or dispers\$4 or		
1		condens\$3))		
I _	5		110222	0000/05/05 55 55
-	) 5	((((((((((345/7,32.ccls. or	USPAT;	2003/06/25 16:23
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	
ł		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
		display) and parallax) and (position with	IBM_TDB	
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (image\$separat\$4 or (image	İ	
		near separat\$4) or polirizing adj plate or		
		polirizer)) and ((((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		1
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		•
]		near separation and (imagestorms or (image		
•		near form\$3) or dispers\$4 or condens\$3)))		
		and (((((((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
1		near separat\$4)) and (image\$form\$5 or (image	1	
	1	near form\$3))) and (two adj projectors or		
1		first adj projector)) and polariz\$4)		

	<u></u>	///////////////////////////////////////	1110000	1 2002 /05 /05 15 05
_	4	((((((((((345/7,32.ccls. or	USPAT;	2003/06/25 16:26
	ļ	359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	
		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
	Į.	display) and parallax) and (position with	IBM_TDB	
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and ((((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		İ
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
Ì		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		i
		<pre>near form\$3) or dispers\$4 or condens\$3)))</pre>		
		and ((((((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and	]	
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image	+	
ļ		near separat\$4)) and (image\$form\$5 or (image	ļ	
		near form\$3))) and (two adj projectors or		
	1	first adj projector)) and polariz\$4)) and		
		different near parallax		
_	5	((((((((((345/7,32.ccls. or	USPAT;	2003/06/25 16:25
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	2003/00/23 10:23
		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
		display) and parallax) and (position with	IBM TDB	
		(detect\$4 or sens\$3) with eye\$5)) and	1517-106	
		project\$4) and (image\$separat\$4 or (image	l	
		near separat\$4) or polirizing adj plate or	1	
	İ	polirizer)) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
}		near separat\$4)) and (image\$form\$5 or (image		1
1		near form\$3) or dispers\$4 or condens\$3)))		
		and ((((((((((345/7,32.ccls. or		
	1	359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
	1	353/7-8.ccls.) and stereoscopic) and	†	
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
1	1	project\$4) and (image\$separat\$4 or image	1	
		near separat\$4)) and (image\$form\$5 or (image		
ļ		near form\$3))) and (two adj projectors or	1	1
1		near rorms/// and (two ad) projectors or	1	<u> </u>
		first adj projector)) and polariz\$4)) and	1	
		first adj projector)) and polariz\$4)) and parallax		
_	2056	first adj projector)) and polariz\$4)) and parallax	USPAT;	2003/06/25 16:25
-	2056	first adj projector)) and polariz\$4)) and parallax	USPAT; US-PGPUB;	2003/06/25 16:25
	2056	first adj projector)) and polariz\$4)) and parallax	-	2003/06/25 16:25
-	2056	first adj projector)) and polariz\$4)) and parallax	US-PGPUB;	2003/06/25 16:25
-	2056	first adj projector)) and polariz\$4)) and parallax	US-PGPUB; EPO; JPO;	2003/06/25 16:25

•				
-	10	((((((((((((((((((((((((((((((((((((((	USPAT;	2003/06/25 16:25
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	
		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
		display) and parallax) and (position with	IBM_TDB	
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (image\$separat\$4 or (image   near separat\$4) or polirizing adj plate or		
		polirizer)) and (((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		1
		353/7-8.ccls.) and stereoscopic) and		
	l	display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		
		near form\$3) or dispers\$4 or condens\$3)))		
		and projector		1
_	2		USPAT;	2003/06/25 16:28
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	= = = = = = = = = = = = = = = = = = =
		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
		display) and parallax) and (position with	IBM TDB	]
	1	(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and ((((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		
		near form\$3) or dispers\$4 or condens\$3)))		
ł		and ((((((((((345/7,32.ccls. or		
	1	359/462-477.ccls. or 348/51-60.ccls. or   345/\$.ccls. or 349/15.ccls. or		]
	}	353/7-8.ccls.) and stereoscopic) and		
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		
		near form\$3))) and (two adj projectors or		
		first adj projector)) and polariz\$4)) and		
		(differ\$3 or chang\$3 or var\$6) near parallax		
-	3	((((((((((((((((((((((((((((((((((((((	USPAT;	2003/06/25 16:42
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	
1		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
		display) and parallax) and (position with	IBM_TDB	
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or (image		.
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (image\$separat\$4 or (image		
	ł	near separat\$4) or polirizing adj plate or		
		polirizer)) and (((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
	1	353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		
1		near form\$3) or dispers\$4 or condens\$3)))		
1		and projector) and (differ\$3 or chang\$3 or		
L	1	var\$6) near parallax		
<del></del>	<del></del>	E	I	l

•				
-	1	((((((((((((((((((((((((((((((((((((((	USPAT;	2003/06/25 16:43
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	
		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
		display) and parallax) and (position with	IBM TDB	
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (image\$separat\$4 or (image		l
		near separat\$4) or polirizing adj plate or		
İ		polirizer)) and (((((((345/7,32.ccls. or		Ì
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		
ļ		display) and parallax) and (position with		
1		(detect\$4 or sens\$3) with eye\$5)) and		
İ		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		
		near form\$3) or dispers\$4 or condens\$3)))		
		and projector) and circular\$2 near		
		(polarized adj light)		
-	1	(((((((((((345/7,32.ccls. or	USPAT;	2003/06/25 16:44
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	1
1		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	1
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
1		display) and parallax) and (position with	IBM_TDB	
		(detect\$4 or sens\$3) with eye\$5)) and	İ	
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		
		near form\$3) or dispers\$4 or condens\$3)))		[
		and projector) and circular\$2 near2		
		(polarized adj light)		
_	3	(((((((((345/7,32.ccls. or	USPAT;	2003/06/25 16:47
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	2003,00,23 10.47
	[	345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
	1	353/7-8.ccls.) and stereoscopic) and	DERWENT;	
	1	display) and parallax) and (position with	IBM_TDB	
		(detect\$4 or sens\$3) with eye\$5)) and	1011_100	
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (image\$separat\$4 or (image		
	1	near separat\$4) or polirizing adj plate or		
		polirizer)) and (((((((345/7,32.ccls. or		į į
		359/462-477.ccls. or 348/51-60.ccls. or		
	}	345/\$.ccls. or 349/15.ccls. or		
	1	353/7-8.ccls.) and stereoscopic) and	· · · · · · · · ·	
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		
		near form\$3) or dispers\$4 or condens\$3)))		
		and circular\$2 near2 (polarized adj light)		
	J	and circularias means (horarized gal light)	<u> </u>	1

			•	
-	3	(((((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 16:48
	Ì	or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with		
			IBM_TDB	
		eye\$5)) and project\$4) and (image\$separat\$4		
		or (image near separat\$4) or polirizing adj		
į		plate or polirizer)) and (image\$separat\$4 or		
		(image near separat\$4) or polirizing adj		
		plate or polirizer)) and circular\$2 near2		
		(polarized adj light)		
_	6	((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 17:01
		or 348/51-60.ccls. or 345/\$.ccls. or		2003/06/25 17:01
			US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
1		(position with (detect\$4 or sens\$3) with	IBM_TDB	
		eye\$5)) and project\$4) and circular\$2 near2		
	1	(polarized adj light)		i
_	2		USPAT;	2003/06/25 16:51
1	_	ous in the second	1	2003/00/25 16:51
1	}		US-PGPUB;	
1			EPO; JPO;	[
			DERWENT;	
			IBM_TDB	
-	4	,,	USPAT;	2003/06/25 17:00
	1	or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
	1	349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
1		(position with (detect\$4 or sens\$3) with	IBM TDB	
			1011-100	
		eye\$5)) and project\$4) and circular\$2 near2		
		(polarized adj light)) and vertical		, ,
_	4	((((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 17:00
	1	or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
	1	stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM TDB	
1		eye\$5)) and project\$4) and circular\$2 near2	15155	İ
		(polarized adj light)) and (vertical or		
			,	
		horizontal or clockwise or counterclockwise)		
-	0	20020030888.URPN.	USPAT	2003/06/25 17:03
-	7	1 (	USPAT;	2003/06/25 17:09
1		US-6414681-\$ or US-5872590-\$ or	US-PGPUB	
1	1	US-5855425-\$).did. or (US-20020030888-\$ or		
1		US-20020030887-\$).did.		
l <b>-</b>	2		USPAT;	2003/06/25 17:19
1		US-6414681-\$ or US-5872590-\$ or	US-PGPUB;	2003/00/23 17:19
1				
!		US-5855425-\$).did. or (US-20020030888-\$ or	EPO; JPO;	
1		US-20020030887-\$).did.) and frequency	DERWENT;	
	1	<b></b>	IBM_TDB	]
-	2	(((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 17:20
1		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
1		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
1		stereoscopic) and display) and parallax) and	DERWENT;	
1		(position with (detect\$4 or sens\$3) with	IBM TDB	,
		eye\$5)) and project\$4) and circular\$2 near2	100	
1	-	(polarized adj light)) and frequency		
-	1	((((((((((((((((((((((((((((((((((((	USPAT;	2003/06/25 17:20
		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	1
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM TDB	
		eye\$5)) and project\$4) and (image\$separat\$4		
		or (image near separat\$4) or polirizing adj		
		plate or polirizer)) and (image\$separat\$4 or		]
1		(image near separat\$4) or polirizing adj		
		plate or polirizer)) and frequency near3		
L	Ļ	alternat\$3		<u> </u>
			<del></del>	<del></del>

			· -	
-	14	(((((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:29
	1	plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and frequency (((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 17:30
-	4	plate or polirizer)) and first adj2 frequency ((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or	USPAT; US-PGPUB;	2003/06/25 17:43
-	1	349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and first adj2 frequency (((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/06/25 17:45
-	5	349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and (first adjimage) near3 frequency "58" and (alternating with image with frequency)	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/25 17:48
-	0	osorio.r\$.in.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/25 17:47
-	0	osorio/r\$.in.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/25 17:47
-	7	((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/25 17:49
-	79	stereoscopic) and (alternating with image with frequency )	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/25 18:00
		stereoscopic) and display) and parallax) and ((position with (detect\$4 or sens\$3) with eye\$5) or ((half\$face or half adj face) adj detect\$4))	DERWENT;IBM_TDB	
-	0	348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (half\$face or half adj face) adj detect\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 18:01
-	0	(((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and (half\$face or half adj face) adj detect\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/25 18:01

-	0	1 ( 1 ) ( )	USPAT;	2003/06/25 18:08
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and (half\$face or half adj	DERWENT;	
		face) adj detect\$4	IBM_TDB	1
-	1		USPAT;	2003/06/25 18:09
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
1		stereoscopic) and inclined adj magnetic adj	DERWENT;	
į		field	IBM_TDB	
-	1	((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 18:13
ŀ		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and inclined near magnetic adj	DERWENT;	
_	54	((345/7,32.ccls. or 359/462-477.ccls. or	IBM_TDB	2002/06/25 10 12
	] 34	348/51-60.ccls. or 345/\$.ccls. or	USPAT;	2003/06/25 18:13
		349/15.ccls. or 353/7-8.ccls.) and	US-PGPUB;	
		stereoscopic) and magnetic adj sensor	EPO; JPO;	
		stereoscopic, and magnetic adj sensor	DERWENT; IBM_TDB	
_	35	(((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 18:13
	33	348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	2003/06/25 18:13
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and magnetic adj sensor) and	DERWENT;	
1		orientation	IBM TDB	
_	35		USPAT;	2003/06/25 18:14
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	2003/00/23 10.14
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and magnetic adj sensor) and	DERWENT;	
		orientation) and position	IBM TDB	
-	1792		USPAT;	2003/07/03 11:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	72	(tristate adj buffer) and 345?\$.ccls.	USPAT;	2003/06/27 10:32
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	72	(tristate adj buffer) and 345/\$.ccls.	USPAT;	2003/06/27 10:32
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	3	(tristate adj buffer) and 323/\$.ccls.	USPAT;	2003/06/27 10:32
	1		US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
_	41	((tristate adj buffer) and 345/\$.ccls.) and	IBM_TDB	2002/06/08 32 33
	"1	power	USPAT;	2003/06/27 10:52
		POWCE	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
_	0	(((tristate adj buffer) and 345/\$.ccls.) and	IBM_TDB USPAT;	2003/06/27 10:52
		power) and se adj power	US-PGPUB;	2003/00/2/ 10:52
		power	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	(((tristate adj buffer) and 345/\$.ccls.) and	USPAT;	2003/06/27 10:53
1		power) and first adj power	US-PGPUB;	
1	1		EPO; JPO;	
	1		DERWENT;	
	1		IBM TDB	
-	0	(((tristate adj buffer) and 345/\$.ccls.) and	USPAT;	2003/06/27 10:56
		power) and (gate adj line) near2 selection	US-PGPUB;	
	[		EPO; JPO;	
			DERWENT;	
L			IBM TDB	

-	0	(((tristate adj buffer) and 345/\$.ccls.) and power) and ((row or scan\$4 or gate) adj	USPAT; US-PGPUB;	2003/06/27 10:57
		line) near3 select\$3	EPO; JPO; DERWENT;	
_	1	(((tristate adj buffer) and 345/\$.ccls.) and	IBM_TDB USPAT;	2003/06/27 10:57
		power) and selection adj pulse	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	1	(((tristate adj buffer) and 345/\$.ccls.) and power) and fly\$back adj period	USPAT; US-PGPUB;	2003/06/27 10:58
			EPO; JPO; DERWENT;	
_	31	(((tristate adj buffer) and 345/\$.ccls.) and	IBM_TDB USPAT;	2003/06/27 10:59
		power) and frame	US-PGPUB; EPO; JPO;	2003,00,27
			DERWENT; IBM TDB	
-	1	(((tristate adj buffer) and 345/\$.ccls.) and power) and frame adj period	USPAT; US-PGPUB;	2003/06/27 10:58
		France, and Itamo any portion	EPO; JPO; DERWENT;	
_	1067	(tristate adj buffer) and power	IBM_TDB USPAT;	2003/06/27 10:59
	1007	(tristate adj barrer) and power	US-PGPUB;	2003/06/27 10:59
			EPO; JPO; DERWENT;	
-	56	((tristate adj buffer) and power) and first	IBM_TDB USPAT;	2003/06/27 11:03
		adj power	US-PGPUB; EPO; JPO;	
	42	///buishaha adi bu66au) and annu) and 6inub	DERWENT; IBM_TDB	2002/05/05 22 23
_	43	(((tristate adj buffer) and power) and first adj power) and second adj power	USPAT; US-PGPUB;	2003/06/27 11:01
			EPO; JPO; DERWENT;	
-	1	((((tristate adj buffer) and power) and first adj power) and second adj power) and	IBM_TDB USPAT;	2003/06/27 11:01
		third adj power	US-PGPUB; EPO; JPO;	
		(///huishaha adi huffan) and assau)	DERWENT; IBM_TDB	0000/05/05 11 00
		((((tristate adj buffer) and power) and first adj power) and second adj power) and (gate or scan\$4 or row) adj line	USPAT; US-PGPUB;	2003/06/27 11:03
		(gate of scans, of fow) adj line	EPO; JPO; DERWENT;	
-	41	((tristate adj buffer) and power) and first adj power adj (source or supply)	IBM_TDB USPAT;	2003/06/27 11:26
		and bower and (source or subbit)	US-PGPUB; EPO; JPO; DERWENT;	
	24	((tristate adj buffer) and power) and second	IBM_TDB USPAT:	2002/06/27 12:22
	34	adj power adj (source or supply)	US-PGPUB;	2003/06/27 13:27
			EPO; JPO; DERWENT;	
-	4	(((tristate adj buffer) and power) and second adj power adj (source or supply)) and	IBM_TDB USPAT;	2003/06/27 13:30
		display	US-PGPUB; EPO; JPO;	
_	32	(((tristate adj buffer) and power) and first	DERWENT; IBM_TDB	2002/06/27 12:20
	32	adj power adj (source or supply)) and (((tristate adj buffer) and power) and	USPAT; US-PGPUB;	2003/06/27 13:30
		second adj power adj (source or supply))	EPO; JPO; DERWENT;	
L			IBM_TDB	<u> </u>

		_	
- 4	<pre>((((tristate adj buffer) and power) and first adj power adj (source or supply)) and (((tristate adj buffer) and power) and second adj power adj (source or supply))) and ((((tristate adj buffer) and power) and</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 13:30
	second adj power adj (source or supply)) and display)		
- 4963	tri\$state adj buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 11:23
- 1552	(tri\$state adj buffer) and display	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 11:24
- 1323	((tri\$state adj buffer) and display) and driv\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 11:25
- 570	(((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 11:38
- 22	((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and first adj circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 11:39
- 17	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and first adj circuit) and second adj circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 13:20
- 3	<pre>((((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and first adj circuit) and second adj circuit) and (tft or thin-film or thin adj film)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 13:23
- 22	((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 13:29
- 19	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 13:28
2	((((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj. film)) and power) and n-channel	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 13:24
- 2	((((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power) and n\$channel	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 13:24
- 6	((((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power) and 345/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 15:06
- 38	(((tri\$state adj buffer) and display) and driv\$3) and (tft or thin-film or thin adj film)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 13:30
<u> </u>	<u> </u>	1 2011 100	L_,

[ <del>-</del>	37	((((tri\$state adj buffer) and display) and	USPAT;	2003/07/03 13:30
		driv\$3) and (tft or thin-film or thin adj	US-PGPUB;	333,07,03
		film)) and (power or voltage or potential)	EPO; JPO;	
			DERWENT; IBM TDB	
-	21		USPAT;	2003/07/03 13:31
		driv\$3) and ((gate or signal or scan\$4) adj2	US-PGPUB;	
		driv\$3)) and (tft or thin-film or thin adj	EPO; JPO;	
		film)) and (power or voltage or potential)	DERWENT; IBM TDB	
-	8	, (((((())))) and an order of the contract of	USPAT;	2003/07/03 13:35
		driv\$3) and ((gate or signal or scan\$4) adj2	US-PGPUB;	
		driv\$3)) and (tft or thin-film or thin adj film)) and (power or voltage or potential))	EPO; JPO; DERWENT;	
		and 345/\$.ccls.	IBM TDB	
_	13	(((((tri\$state adj buffer) and display) and	USPAT;	2003/07/03 14:34
		driv\$3) and (tft or thin-film or thin adj	US-PGPUB;	,
		film)) and (power or voltage or potential)) and 345/\$.ccls.	EPO; JPO; DERWENT;	
		and 343/ Q.CCIB.	IBM TDB	
-	2	6337678.pn.	USPĀT;	2003/07/03 14:35
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	6337678.URPN.	USPAT	2003/07/03 14:34
-	47	("4202041"   "4293734"   "4385366"     "4448837"   "4529959"   "4914624"	USPAT	2003/07/03 14:35
		"4916740"   "5159159"   "5165897"		
		"5222895"   "5241308"   "5412189"		
		"5442788"   "5479528"   "5518078"		
		"5576727"   "5581670"   "5583478"     "5587937"   "5617114"   "5623582"		
		"5625576"   "5633660"   "5643087"		
		"5691748"   "5691898"   "5694013"		
		"5694150"   "5701140"   "5709219"     "5719561"   "5734373"   "5736978"		
		"5739811"   "5742278"   "5767839"		
		"5798752"   "5805140"   "5828197"		
		"5831408"		
		"5880411"   "5952998"   "5999168"     "6046726"   "6100874").PN.		
-	2	1	USPAT;	2003/07/03 14:35
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	12		USPAT	2003/07/03 14:36
-	12		USPAT	2003/07/03 14:37
	4	("4900981"   "5148154"   "5184319"     "5381158").PN.	USPAT	2003/07/03 14:37
-	1	((((((tri\$state adj buffer) and display)	USPAT;	2003/07/03 14:51
		and driv\$3) and ((gate or signal or scan\$4)	US-PGPUB;	
-		adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power) and 345/\$.ccls.) and n	EPO; JPO; DERWENT;	
		adj channel	IBM TDB	*
-	1	((((((tri\$state adj buffer) and display)	USPĀT;	2003/07/03 15:35
		and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin	US-PGPUB;	
		adj film)) and power) and 345/\$.ccls.) and	EPO; JPO; DERWENT;	
		n-channel	IBM_TDB	
-	4	······ and in the second of	USPAT;	2003/07/06 18:25
		and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin	US-PGPUB; EPO; JPO;	
		adj film) and power) and 345/\$.ccls.) and p	DERWENT;	
		-	IBM_TDB	
-	2	····· · · · · · · · · · · · · · · · ·	USPAT;	2003/07/03 15:35
		driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj	US-PGPUB; EPO; JPO;	
		film)) and (power or voltage or potential))	DERWENT;	
L		and n-channel	IBM_TDB	

.•				
-	4	(((((tri\$state adj buffer) and display) and	USPAT;	2003/07/03 15:36
		driv\$3) and (tft or thin-film or thin adj film)) and (power or voltage or potential))	US-PGPUB; EPO; JPO;	
		and n-channel	DERWENT;	
		and it chames	IBM TDB	
_	4963	tri\$state adj buffer	USPAT;	2003/07/06 19:30
			US-PGPUB;	2000, 01, 00 29130
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	(tri\$state adj buffer) near3 (gate adj line)	USPAT;	2003/07/06 18:28
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		1/1 16 1 1 1 1 2 55 1	IBM_TDB	
-	18	, , , , , , , , , , , , , , , , , , ,	USPAT;	2003/07/06 18:36
		signal or scan\$4) adj line)) and power adj	US-PGPUB;	1
		(source or supply)	EPO; JPO;	
			DERWENT;	ŧ
_	2	(((tri\$state adj buffer) near3 ((gate or	IBM_TDB USPAT;	2003/07/06 18:45
	2	signal or scan\$4) adj line)) and power adj	US-PGPUB;	2003/07/00 18:45
		(source or supply)) and first adj power adj	EPO; JPO;	
		(source or supply)	DERWENT;	
		(Control of Capper),	IBM TDB	
_	1	((((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 18:46
		signal or scan\$4) adj line)) and power adj	US-PGPUB;	
	1	(source or supply)) and first adj power adj	EPO; JPO;	
		(source or supply)) and tft	DERWENT;	1
			IBM_TDB	
-	1	(((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 18:46
		signal or scan\$4) adj line)) and power adj	US-PGPUB;	
		(source or supply)) and tft	EPO; JPO;	
			DERWENT;	
_	2518	"96" and tft	IBM_TDB	2002/07/06 20 25
-	7218	30 and tit	USPAT;	2003/07/06 18:46
			US-PGPUB; EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	1	((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 18:47
		signal or scan\$4) adj line)) and tft	US-PGPUB;	, , , , , , , , , , , , , , , , , , ,
[		_	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	1	((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 18:48
1		signal or scan\$4) adj line)) and (tft or	US-PGPUB;	]
1		thin-film or thin adj film)	EPO; JPO;	
1			DERWENT;	
_	30	(/tricatato adi buffor) manga //	IBM_TDB	2002/07/25 12 15
1 -	39	((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and transistor	USPAT;	2003/07/06 18:48
1		signal of scanse, adj line), and transistor	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
1 -	2	((((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 19:02
1		signal or scan\$4) adj line)) and power adj	US-PGPUB;	2003/07/00 19.02
1		(source or supply)) and first adj power adj	EPO; JPO;	
1		(source or supply)) and transistor	DERWENT;	
			IBM TDB	
-	10	(((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 19:01
1		signal or scan\$4) adj line)) and power adj	US-PGPUB;	
		(source or supply)) and transistor	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	16	"10" and display	USPAT;	2003/07/06 19:01
<b>!</b>			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
L		<u>L</u>	IBM_TDB	1

	<del></del>	1///	- Ivonam	0000/05/05
-	3	((((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 19:01
		signal or scan\$4) adj line)) and power adj (source or supply)) and transistor) and	US-PGPUB;	
		display	EPO; JPO; DERWENT;	
		albeay	IBM TDB	
_	8	5434823.URPN.	USPAT	2003/07/06 19:03
-	4	("5258951"   "5287310"   "5305284"	USPAT	2003/07/06 19:04
		"5329489").PN.		
-	5	5936455.URPN.	USPAT	2003/07/06 19:05
-	5	("4804865"   "4837460"   "5198699"	USPAT	2003/07/06 19:06
		"5220205"   "5568085").PN.		
-	6	5633599.URPN.	USPAT	2003/07/06 19:08
-	6	("Re34916"   "5077521"   "5369645"	USPAT	2003/07/06 19:09
		"5371712"   "5392298"   "5495487").PN.		
-	34		USPAT;	2003/07/06 19:11
		"5305284"   "5329489").PN.) or 5936455.URPN.	US-PGPUB;	
		or (("4804865"   "4837460"   "5198699"     "5220205"   "5568085").PN.) or 5633599.URPN.	EPO; JPO;	
		or (("Re34916"   "5077521"   "5369645"	DERWENT; IBM TDB	}
		"5371712"   "5392298"   "5495487").PN.)	184-108	
_	4		USPAT;	2003/07/06 19:13
	1	"5305284"   "5329489").PN.) or 5936455.URPN.	US-PGPUB;	2003/07/00 19:13
1	1	or (("4804865"   "4837460"   "5198699"	EPO; JPO;	
1		"5220205"   "5568085").PN.) or 5633599.URPN.	DERWENT;	
		or (("Re34916"   "5077521"   "5369645"	IBM TDB	
		"5371712"   "5392298"   "5495487").PN.)) and	_	
		display		
-	0	((===================================	USPAT;	2003/07/06 19:13
		"5305284"   "5329489").PN.) or 5936455.URPN.	US-PGPUB;	
		or (("4804865"   "4837460"   "5198699"	EPO; JPO;	
		"5220205"   "5568085").PN.) or 5633599.URPN.	DERWENT;	
		or (("Re34916"   "5077521"   "5369645"	IBM_TDB	
1		"5371712"   "5392298"   "5495487").PN.)) and display) and tri\$state adj buffer		
_	l ₄	((5434823.URPN. or (("5258951"   "5287310"	USPAT;	2003/07/06 19:19
	-	"5305284"   "5329489").PN.) or 5936455.URPN.	US-PGPUB;	2003/07/06 19:19
		or (("4804865"   "4837460"   "5198699"	EPO; JPO;	
		"5220205"   "5568085").PN.) or 5633599.URPN.	DERWENT;	1
		or (("Re34916"   "5077521"   "5369645"	IBM TDB	
		"5371712"   "5392298"   "5495487").PN.)) and	_	
		display) and buffer		
-	30	((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 19:20
		signal or scan\$4) adj line)) and display	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	6	(US-6426670-\$ or US-5198699-\$ or	IBM_TDB	2002/07/06 10:05
		US-5220205-\$ or US-5633599-\$ or US-5936455-\$	USPAT	2003/07/06 19:25
		or US-5434823-\$).did.		
-	1		USPAT;	2003/07/06 19:25
		US-5220205-\$ or US-5633599-\$ or US-5936455-\$	US-PGPUB;	
		or US-5434823-\$).did.) and display	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(((US-6426670-\$ or US-5198699-\$ or	USPAT;	2003/07/06 19:27
		US-5220205-\$ or US-5633599-\$ or US-5936455-\$	US-PGPUB;	. 1
		or US-5434823-\$).did.) and display) and	EPO; JPO;	
		tri\$state adj buffer	DERWENT;	
_	9	(((tri\$state adj buffer) near3 ((gate or	IBM_TDB	2002/07/06 10 22
		signal or scan\$4) adj line)) and power adj	USPAT; US-PGPUB;	2003/07/06 19:28
		(source or supply)) and display	EPO; JPO;	
		,	DERWENT;	
			IBM TDB	
-	9	((((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 19:28
		signal or scan\$4) adj line)) and power adj	US-PGPUB;	,,
		(source or supply)) and display) and	EPO; JPO;	
		(((tri\$state adj buffer) near3 ((gate or	DERWENT;	
		signal or scan\$4) adj line)) and power adj	IBM_TDB	
L	l	(source or supply))		

r				
-	96	(tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 19:30
		signal or scan\$4) adj line)	US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	]
-	1552	(tri\$state adj buffer) and display	USPAT;	2003/07/06 19:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	243	((tri\$state adj buffer) and display) and	USPAT;	2003/07/06 19:31
		345/\$.ccls.	US-PGPUB;	
	į į		EPO; JPO;	
			DERWENT;	
	!		IBM_TDB	
-	4	, , ,	USPAT;	2003/07/06 19:31
		345/\$.ccls.) and gate adj line	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	6124840.URPN.	USPAT	2003/07/06 19:38
-	12	("4804951"   "4870399"   "5465054"	USPAT	2003/07/06 19:38
		"5510748"   "5528256"   "5572211"		
		"5578957"   "5604449"   "5682175"		
		"5748165"   "5838289"   "5907314").PN.		
-	15	6124840.URPN. (("4804951"   "4870399"	USPAT;	2003/07/06 19:39
		"5465054"   "5510748"   "5528256"	US-PGPUB;	İ
		"5572211"   "5578957"   "5604449"	EPO; JPO;	
		"5682175"   "5748165"   "5838289"	DERWENT;	
		"5907314").PN.)	IBM_TDB	
-	0	(6124840.URPN. (("4804951"   "4870399"	USPAT;	2003/07/06 19:40
	1	"5465054"   "5510748"   "5528256"	US-PGPUB;	į į
		"5572211"   "5578957"   "5604449"	EPO; JPO;	
		"5682175"   "5748165"   "5838289"	DERWENT;	1
		"5907314").PN.)) and tri\$state adj buffer	IBM_TDB	1
-	8	(US-5936455-\$ or US-5633599-\$ or	USPAŢ	2003/07/06 20:58
		US-5220205-\$ or US-6052104-\$ or US-6124840-\$		
	!	or US-6426670-\$ or US-5198699-\$ or		
		US-5434823-\$).did.		
<del>-</del>	4	, ,,== ,	USPAT;	2003/07/06 20:58
		US-5220205-\$ or US-6052104-\$ or US-6124840-\$	US-PGPUB;	
		or US-6426670-\$ or US-5198699-\$ or	EPO; JPO;	
		US-5434823-\$).did.) and n-channel	DERWENT;	]
			IBM_TDB	
-	4	(((US-5936455-\$ or US-5633599-\$ or	USPAT;	2003/07/06 21:13
		US-5220205-\$ or US-6052104-\$ or US-6124840-\$	US-PGPUB;	
		or US-6426670-\$ or US-5198699-\$ or	EPO; JPO;	
	1	US-5434823-\$).did.) and n-channel) and	DERWENT;	
	1	p-channel	IBM_TDB	
-	2	((((US-5936455-\$ or US-5633599-\$ or	USPAT;	2003/07/06 21:14
1		US-5220205-\$ or US-6052104-\$ or US-6124840-\$	US-PGPUB;	
<u> </u>	1	or US-6426670-\$ or US-5198699-\$ or	EPO; JPO;	į i
		US-5434823-\$).did.) and n-channel) and	DERWENT;	
		p-channel) and tri\$state adj buffer	IBM_TDB	